

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	328	(tree near search) near5 (stor\$4 or memory or buffer or cach\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/08/06 14:19
2	BRS	L2	110	1 and bits! and leaf	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/08/06 14:13
3	BRS	L3	110	2 and search\$4	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/08/06 14:13
4	BRS	L4	16	3 and pointer and (search\$3 near9 (((record or key) adj (ID or identifier or identification)) or pattern))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/08/06 14:30
5	BRS	L5	29	((tree near search) near5 (stor\$4 or memory) near6 address)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/08/06 14:23

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	22	5 and bits!	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/08/06 14:27
7	BRS	L7	9	6 and lookup	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/08/06 14:30
8	BRS	L8	8	6 and pointer and (search\$3 near9 (((record or key) adj (ID or identifier or identification)) or (pattern or key)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/08/06 14:31

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1148	table same (tree or hiearch\$4) same search	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/08/06 11:23
2	BRS	L2	1360	table same (tree or hiearch\$4) same search\$4	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/08/06 11:31
3	BRS	L3	18	2 and (((key or record) adj (ID or identifier or identification)) or patten) with search\$4	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/08/06 11:50
4	BRS	L4	72	(table near9 ((address or location) with (tree or hiearch\$4))) same search\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/08/06 11:42
5	BRS	L5	42	4 and leaf	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/08/06 11:42

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	1	4 and (((key or record) adj (ID or identifier or identification)) or patten) with search\$4	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/08/06 11:50